


RGB



15 metres of uniform light output, powered from one end




Product Features

- Uniform light output across the entire length of 15 metres
- Power required from one end only
- Colour changing RGB
- Compatible with all dimming types
- Bespoke design and cutting service available
- Industrial grade adhesive backing tape
- High efficacy
- 3 years warranty



Specifications

Part Code	RGB-48-100-20-15M	RGB-48-100-65-15M
Input Voltage	48VDC	48VDC
Wattage	14.4W/m	14.4W/m
Lumen Output	280lm/m	250lm/m
Colour	RGB	RGB
LED/metre	100	100
Beam Angle	120°	120°
Cut Points	100mm	100mm
IP Rating	IP20	IP65
Dimensions	15000 x 10 x 1.8mm	15000 x 10 x 3mm




RGB

15 metres of uniform light output, powered from one end



Compatibility*



Control Methods (sold separately)

- Remote Control
- Bluetooth (Apps, Voice Control)
- Sound Reactive (colour changing, dimming)
- Hard-wired wall-mounted controller
- RF wall-mounted or remote controlled

Suggested Drivers

Up to 7m

Power supplied from ONE end
PCV38151

Up to 15m


Power supplied from ONE end
PCV48240E

Up to 30m


Power supplied from MIDDLE
HLG-480H-48A

Mechanical Diagram

IP20



IP65



* Product compatibility with other brands is shown for informational purposes only. All third-party company names and logos are trademarks of their respective owners and do not constitute an endorsement or partnership with our company.


RGB

15 metres of uniform light output, powered from one end




Connectors (sold separately)

WIRE TO WIRE



TAPE TO DRIVER



TAPE TO TAPE

